

# End Fittings & Swivels

For Wire & Synthetic Rope

Retail Price List

# Retail Price List

Effective October 1, 2021  
All Prices Stated In U.S. Dollars

## **TERMS AND CONDITIONS OF SALE:**

### **FREIGHT CHARGES**

All products are shipped F.O.B. shipping point. Unless otherwise specified, products will normally be shipped over land or water, best way.

### **GENERAL**

Prices, terms & conditions, and warranty are subject to change without notice. Orders will be shipped using the prices, warranty, and terms & conditions in effect at the time the order was placed.

### **SPECIFICATIONS**

All specifications shown are subject to normal manufacturing tolerances and acceptable handling and inspection procedures prior to and during installation and subsequent use of the product. Designs and dimensions are subject to change without notice.

### **CANCELLATION**

An order once placed and accepted by Esmet can be cancelled only with Esmet's consent and under terms which indemnify Esmet against loss. Orders for specials or standard goods in quantities larger than normal inventory may not be cancelled.

### **CREDIT AND PAYMENT TERMS**

Normal terms are net 30 days. Open accounts will be extended to qualified customers with an initial order of \$500.00 or more. MasterCard, Visa, C.O.D., and C.I.A. terms are available for customers not on open account and ordering less than \$500.00.

### **CLAIMS**


Damage or loss during shipment must be reported to the freight carrier and Esmet within 15 days of receipt. Esmet will assist in replacing products and filing claims. All other discrepancies must be reported to Esmet within 15 days.

### **RETURNS**

Returned products must have a returned material authorization (RMA) number issued by Esmet within 90 days of delivery. A 25% re-stocking charge will be made on stock items. Goods must be received in the same condition as when shipped from Esmet. Special products may not be returnable. All returns must be prepaid.

### **MINIMUM ORDERS**


Orders less than \$100.00 will be assessed a \$25.00 processing and handling fee.



CLEVIS: Forged Series			LBS.	
SELF-COLORED	ZINC-PLATED	GALVANIZED		
IGD-125-N	35.64	IGD-125-V	44.55	0.5
IGD-131-N	42.51	IGD-131-V	53.13	1.1
IGD-137-N	45.05	IGD-137-V	54.66	1.1
GD-143-N	60.86	GD-143-X	72.98	3.0
GD-150-N	62.37	GD-150-X	76.48	3.0
GD-156-N	83.85	GD-156-X	92.59	4.7
GD-162-N	83.85	GD-162-X	98.64	4.7
GD-175-N	140.65	GD-175-X	148.00	7.5
GD-187-N	159.55	GD-187-X	178.88	11.0
GD-199-N	225.07	GD-199-X	281.37	15.4
GD-1112-N	463.00	GD-1112-X	516.55	28.1
GD-1125-N	465.10	GD-1125-X	516.55	28.3




TOWING EYE: Forged Series			LBS.	
SELF-COLORED	GALVANIZED			
Y-2762-N	137.28	Y-2762-X	171.58	5.2
Y-2775-N	137.28	Y-2775-X	171.58	5.2
Y-27112-N	392.65	Y-27112-X	427.30	16.6



CLEVIS: Machined Series			LBS.			
SELF-COLORED	ZINC-PLATED	STAINLESS				
ID-106-N	24.10	ID-106-V	29.11	IS-106	55.88	0.1
ID-109-N	24.65	ID-109-V	30.82	IS-109	59.16	0.2
ID-112-N	25.70	ID-112-V	31.16	IS-112	59.84	0.2
ID-115-N	28.23	ID-115-V	34.26	IS-115	65.77	0.3
ID-118-N	29.01	ID-118-V	35.21	IS-118	67.60	0.3
ID-121-N	29.99	ID-121-V	36.40	IS-121	69.89	0.4
ID-125-N	30.30	ID-125-V	36.78	IS-125	70.62	0.4
ID-128-N	36.70	ID-128-V	47.40	IS-128	91.00	0.6
ID-131-N	41.95	ID-131-V	48.07	IS-131	92.37	0.6
ID-137-N	49.04	ID-137-V	59.51	IS-137	114.26	1.0
ID-143-N	60.07	ID-143-V	75.10	IS-143	144.17	1.5
ID-150-N	68.23	ID-150-V	85.29	IS-150	158.98	2.1
ID-156-N	91.08	ID-156-V	113.83	IS-156	218.55	4.1
ID-162-N	93.72	ID-162-V	117.14	IS-162	224.91	4.2
ID-175-N	119.33	ID-175-V	149.17	IS-175	286.42	7.0
ID-187-N	160.38	ID-187-V	204.36	IS-187	384.91	10.5
ID-199-N	262.80	ID-199-V	413.65	IS-199	592.15	15.0
ID-1112-N	FQ*	ID-1112-V	FQ*	IS-1112	FQ*	
ID-1125-N	FQ*	ID-1125-V	FQ*	IS-1125	FQ*	
ID-1137-N	FQ*	ID-1137-V	FQ*	IS-1137	FQ*	
ID-1150-N	FQ*	ID-1150-V	FQ*	IS-1150	FQ*	



OVAL EYE: Forged Series			LBS.	
SELF-COLORED	GALVANIZED			
X-3325-N	34.07	X-3325-X	41.36	0.6
X-3331-N	34.60	X-3331-X	42.30	0.0
X-3337-N	36.17	X-3337-X	43.06	0.9
X-3343-N	41.74	X-3343-X	52.20	2.2
X-3350-N	43.50	X-3350-X	54.38	2.2
X-3356-N	139.60	X-3356-X	152.20	6.1
X-3362-N	124.90	X-3362-X	136.45	6.2
X-3375-N	136.45	X-3375-X	145.90	6.2
X-3387-N	170.05	X-3387-X	185.79	11.0
X-3399-N	FQ*	X-3399-X	FQ*	16.0
X-33112-N	FQ*	X-33112-X	FQ*	33.7
X-33125-N	FQ*	X-33125-X	FQ*	34.0



CLEVIS with Pin and Cotter Pin: Industrial Series			LBS.	
SELF-COLORED	GALVANIZED			
PD-143-N	70.50	PD-143-X	81.10	3.0
PD-150-N	70.80	PD-150-X	85.02	3.0
PD-156-N	78.65	PD-156-X	102.49	4.7
PD-162-N	79.42	PD-162-X	107.58	4.7
PD-175-N	139.93	PD-175-X	153.23	7.6
PD-187-N	216.75	PD-187-X	303.60	15.8
PD-199-N	429.66	PD-199-X	553.89	28.3



DRUM			LBS.	
SELF-COLORED	ZINC-PLATED			
Y-2206-N	12.25	Y-2206-V	14.89	0.1
Y-2209-N	12.39	Y-2209-V	15.06	0.1
Y-2212-N	12.43	Y-2212-V	15.55	0.1
Y-2215-N	14.47	Y-2215-V	18.08	0.1
Y-2218-N	14.47	Y-2218-V	18.08	0.1
Y-2225-N	16.70	Y-2225-V	21.44	0.2
Y-2231-N	25.15	Y-2231-V	27.25	0.4
Y-2237-N	20.60	Y-2237-V	27.25	0.4
Y-2243-N	25.15	Y-2243-V	30.43	0.8
Y-2250-N	27.57	Y-2250-V	34.44	1.0
Y-2256-N	48.25	Y-2256-V	52.45	1.9
Y-2262-N	48.25	Y-2262-V	52.45	1.9
Y-2275-N	70.30	Y-2275-V	74.94	3.0
Y-2287-N	114.40	Y-2287-V	139.60	5.1
Y-2299-N	153.25	Y-2299-V	184.75	6.5
Y-22112-N	FQ*	Y-22112-V	FQ*	23.5
Y-22125-N	FQ*	Y-22125-V	FQ*	23.5
Y-22137-N	FQ*	Y-22137-V	FQ*	39.6
Y-22150-N	FQ*	Y-22150-V	FQ*	39.6



EYE: Forged Series			LBS.	
SELF-COLORED	ZINC-PLATED	GALVANIZED		
IGD-225-N	31.45	IGD-225-X	27.37	0.5
IGD-231-N	44.05	IGD-231-X	47.20	0.5
IGD-237-N	44.05	IGD-237-X	47.20	0.7
GD-243-N	57.70	GD-243-X	60.85	1.6
GD-250-N	57.70	GD-250-X	60.85	1.7
GD-256-N	96.55	GD-256-X	103.90	4.7
GD-262-N	81.85	GD-262-X	102.84	4.7
GD-275-N	90.25	GD-275-X	103.22	4.7
IGD-287-N	184.75	IGD-287-X	205.75	7.7
IGD-299-N	352.75	IGD-299-V	417.85	11.3
		IGD-299-X	398.95	11.3




COUPLING			LBS.	
SELF-COLORED	ZINC-PLATED			
GD-506-N	20.19	GD-506-V	27.53	0.1
GD-509-N	20.54	GD-509-V	28.00	0.2
GD-512-N	21.08	GD-512-V	28.74	0.2
GD-515-N	24.53	GD-515-V	33.43	0.4
GD-518-N	24.53	GD-518-V	33.43	0.4
GD-521-N	24.71	GD-521-V	33.68	0.4
GD-525-N	25.28	GD-525-V	34.44	0.4
GD-528-N	39.85	GD-528-V	45.83	0.6
GD-531-N	39.85	GD-531-V	62.95	0.6
GD-537-N	37.09	GD-537-V	50.56	0.8
GD-543-N	50.39	GD-543-V	68.66	1.5
GD-550-N	57.53	GD-550-V	78.41	3.8
GD-556-N	89.20	GD-556-V	101.80	3.8
GD-562-N	84.69	GD-562-V	100.44	3.8
GD-575-N	152.20	GD-575-V	156.40	6.0
GD-587-N	182.65	GD-587-V	201.55	10.3
GD-599-N	269.80	GD-599-V	297.10	17.0
GD-5112-N	FQ*	GD-5112-V	FQ*	35.0
GD-5125-N	FQ*	GD-5125-V	FQ*	44.0
GD-5137-N	FQ*	GD-5137-V	FQ*	58.0
GD-5150-N	FQ*	GD-5150-V	FQ*	58.0




EYE: Machined Series			LBS.			
SELF-COLORED	ZINC-PLATED	STAINLESS				
ID-206-N	16.75	ID-206-V	19.79	IS-206	36.88	0.1
ID-209-N	17.09	ID-209-V	20.94	IS-209	39.05	0.1
ID-212-N	17.29	ID-212-V	21.19	IS-212	39.51	0.1
ID-215-N	18.64	ID-215-V	23.31	IS-215	43.40	0.2
ID-218-N	18.64	ID-218-V	23.93	IS-218	44.61	0.2
ID-221-N	24.10	ID-221-V	25.15	IS-221	48.44	0.4
ID-225-N	24.10	ID-225-V	25.15	IS-225	48.92	0.4
ID-228-N	36.70	ID-228-V	34.60	IS-228	63.63	0.5
ID-231-N	41.95	ID-231-V	44.05	IS-231	63.63	0.5
ID-237-N	41.95	ID-237-V	39.44	IS-237	80.80	0.8
ID-243-N	50.35	ID-243-V	56.65	IS-243	94.76	1.8
ID-250-N	57.81	ID-250-V	70.91	IS-250	132.13	1.8
ID-256-N	85.00	ID-256-V	94.45	IS-256	151.14	4.2
ID-262-N	71.35	ID-262-V	81.99	IS-262	157.44	4.2
ID-275-N	99.70	ID-275-V	118.79	IS-275	228.03	7.0
ID-287-N	144.85	ID-287-V	182.65	IS-287	290.92	10.5
ID-299-N	217.30	ID-299-V	256.15	IS-299	428.06	15.0
ID-2112-N	FQ*	ID-2112-V	FQ*	IS-2112	FQ*	
ID-2125-N	FQ*	ID-2125-V	FQ*	IS-2125	FQ*	
ID-2137-N	FQ*	ID-2137-V	FQ*	IS-2137	FQ*	
ID-2150-N	FQ*	ID-2150-V	FQ*	IS-2150	FQ*	

\*Factory Quote






SWIVEL HOOK		LBS.	
SELF-COLORED		ZINC-PLATED	
Y-2518-N	66.10	Y-2518-V	73.45 1.2
Y-2525-N	75.55	Y-2525-V	83.95 1.4
Y-2531-N	86.05	Y-2531-V	95.50 1.6
Y-2537-N	107.05	Y-2537-V	118.60 2.7
Y-2543-N	111.25	Y-2543-V	122.80 3.9
Y-2550-N	226.75	Y-2550-V	249.85 5.0
Y-2556-N	230.95	Y-2556-V	254.05 10.0
Y-2562-N	243.55	Y-2562-V	268.75 11.0
Y-2575-N	453.55	Y-2575-V	499.75 16.0
Y-2587-N	FQ*	Y-2587-V	FQ* 21.0
Y-2599-N	FQ*	Y-2599-V	FQ* 30.3



NON-SWIVEL HOOK		LBS.	
SELF-COLORED		ZINC-PLATED	
Y-2618-N	55.60	Y-2618-V	61.77 0.6
Y-2625-N	64.00	Y-2625-V	70.92 0.9
Y-2631-N	70.54	Y-2631-V	89.89 1.3
Y-2637-N	79.54	Y-2637-V	101.36 1.7
Y-2643-N	82.23	Y-2643-V	104.78 2.8
Y-2650-N	109.15	Y-2650-V	139.14 4.0
Y-2656-N	164.67	Y-2656-V	209.83 8.0
Y-2662-N	175.15	Y-2662-V	223.19 8.3
Y-2675-N	249.36	Y-2675-V	317.74 13.4
Y-2687-N	340.15	Y-2687-V	346.97 18.6
Y-2699-N	376.66	Y-2699-V	462.01 27.2



SAFETY LATCH KIT			
SINGLE ACTION		DOUBLE ACTION	
L-227	11.19	L-490A	27.25
L-227A	11.19	L-490B	27.25
L-227B	11.19	L-490C	30.40
L-227C	24.01	L-490D	39.85
L-227D	28.61	L-490E	51.61
L-227E	38.80	L-490F	124.90
L-227F	49.30		
L-227G	51.43		
L-227J	109.15		



NON-BEARING OVAL EYE SWIVEL		LBS.	
SELF-COLORED		ZINC-PLATED	
Y-1143-N	131.20	Y-1143-V	144.85 2.2
Y-1150-N	131.20	Y-1150-V	147.67 2.3
Y-1156-N	163.75	Y-1156-V	187.40 10.0
Y-1162-N	154.30	Y-1162-V	189.70 10.0
Y-1175-N	212.05	Y-1175-V	244.43 10.0
Y-1187-N	262.45	Y-1187-V	291.21 12.2
Y-1199-N	FQ*	Y-1199-V	FQ* 16.8
Y-11112-N	FQ*	Y-11112-V	FQ* 40.0
Y-11125-N	FQ*	Y-11125-V	FQ* 41.2
Y-11137-N	FQ*	Y-11137-V	FQ* 89.1



CLEVIS WITH SISTER HOOK: Life Line		LBS.		
STAINLESS		ALUMINUM		
FOR WIRE ROPE				
NS-4843	167.08	2.1	NAF-4843 99.88 1.3	
NS-4850	183.93	2.6	NAF-4856 113.35 1.3	
NS-4856	198.51	2.8	FOR MYLAR & NYLON ROPE	
NS-4862	218.35	2.1	NAM-4856	180.46 0.7
FOR PULTRUDED ROD				
NSF-4843	241.85	2.6	NAM-4862	181.42 0.8
NSF-4856	266.27	2.1	FOR KEVLAR	
FOR MYLAR & NYLON ROPE				
NSM-4856	FQ*	2.6	NAK-4850	122.33 1.5
NSM-4862	FQ*	2.8		



CLEVIS WITHOUT SISTER HOOK		LBS.	
STAINLESS		ALUMINUM	
NSK-137	215.61	NAK-137B	94.42
NSK-150	215.61	NAK-150B	94.42



CLOSED BODY TURNBUCKLE WITH SISTER HOOK: Life Line		LBS.		
STAINLESS		ALUMINUM		
FOR WIRE ROPE				
NS-4943	303.46	5.0	NAF-4943 181.18 2.1	
NS-4950	314.64	5.5	NAF-4956 198.40 2.1	
NS-4956	318.85	5.8	FOR MYLAR & NYLON ROPE	
NS-4962	326.72	5.0	NAM-4943	181.60 1.7
FOR PULTRUDED ROD				
NSF-4943	384.49	5.5	NAM-4956	181.60 1.9
NSF-4956	416.04	5.0	NAM-4962	181.60 2.0
FOR MYLAR & NYLON ROPE				
NSM-4943	FQ*	5.5	NAK-4950	208.47 2.5
NSM-4956	FQ*	5.8		
NSM-4962	FQ*			

REPLACEMENT SLEEVE

STAINLESS		ALUMINUM	
NS-943	41.76	NA-943	FQ*
NS-950	41.76	NA-956	21.54
NS-956	43.83	NAK-956	FQ*
NS-962	43.83	NAK-962	FQ*
NSK-956	43.83	NAK-937	41.92
NSK-962	FQ*	NAK-950	46.75
NSK-937	54.20		
NSK-950	FQ*		




LIFE LINE INSULATOR		LBS.	
STAINLESS			
SP-558	222.55		1.3



OFFSET EYE		LBS.	
X-3418	38.85		0.2

\*Factory Quote

**CLOSED BODY DOUBLE CLEVIS TURNBUCKLE: Antenna Fittings**




**NAVAL BRONZE**  
YZ-431-R 117.55



**SLEEVE SELECTION TABLE**

SELF-COLORED		ZINC-PLATED		STAINLESS	
ID-906-N	3.83	ID-906-V	4.73	IS-906	8.53
ID-909-N	4.46	ID-909-V	5.33	IS-909	9.85
ID-912-N	4.46	ID-912-V	5.33	IS-912	10.04
ID-915-N	5.32	ID-915-V	6.64	IS-915	12.37
ID-918-N	5.32	ID-918-V	6.64	IS-918	12.75
ID-921-N	7.30	ID-921-V	6.89	IS-921	13.24
ID-925-N	7.30	ID-925-V	7.07	IS-925	13.57
ID-928-N	7.30	ID-928-V	8.84	IS-928	16.50
ID-931-N	9.40	ID-931-V	11.50	IS-931	16.81
ID-937-N	10.17	ID-937-V	12.74	IS-937	23.72
ID-943-N	12.11	ID-943-V	15.14	IS-943	28.21
ID-950-N	13.67	ID-950-V	16.45	IS-950	31.58
ID-956-N	16.05	ID-956-V	20.10	IS-956	38.57
ID-962-N	16.77	ID-962-V	20.96	IS-962	40.26
ID-975-N	22.66	ID-975-V	28.32	IS-975	54.37
ID-987-N	33.55	ID-987-V	37.75	IS-987	66.20
ID-999-N	FQ*	ID-999-V	64.00	IS-999	109.99
ID-9112-N	FQ*	ID-9112-V	FQ*	IS-9112	206.80
ID-9125-N	FQ*	ID-9125-V	FQ*	IS-9125	297.79
ID-9137-N	FQ*	ID-9137-V	FQ*	IS-9137	FQ*
ID-9150-N	FQ*	ID-9150-V	FQ*	IS-9150	FQ*

**RADIO ANTENNA OPEN END FITTING**



**NAVAL BRONZE**  
X-31-131-R 100.75


**SHACKLE & PIN ASSEMBLY**



**NAVAL BRONZE**  
X-2843-R 96.43

**ASSEMBLY KITS FOR INDIVIDUAL WIRE ROPE**

LBS.



SP-307-D	47.20	0.4
SP-307-E	47.20	0.8
SP-307-F	47.20	0.8
SP-307-G	47.20	0.7
SP-307-H	47.20	1.0
SP-307-J	47.20	1.0
SP-307-K	47.20	1.1
SP-307-L	47.20	1.0
SP-307-M	47.20	1.3
SP-307-N	47.20	1.2
SP-307-P	47.20	2.4
SP-307-Q	47.20	2.3
SP-307-R	47.20	3.3
SP-307-S	47.20	3.1
SP-307-T	47.20	3.5
SP-307-V	47.20	3.3
SP-307-W	47.20	

**MA 800, MA 2600, MB 1500, ME 300 PLUG**



MA 831	FQ*	MA 2625	8.35	MB 1518	7.30	ME 306	FQ*
MA 837	18.85	MA 2637	11.50	MB 1521	FQ*	ME 309	FQ*
MA 843	FQ*	MA 2643	12.55	MB 1525	8.35	ME 312	5.20
MA 850	13.60	MA 2650	13.60	MB 1528	FQ*	ME 315	6.25
MA 856	15.70	MA 2656	15.70	MB 1531	9.40	ME 318	7.30
MA 862	17.80	MA 2662	17.80	MB 1537	11.50	ME 321	7.30
MA 875	23.05	MA 2675	23.05	MB 1543	FQ*	ME 325	8.35
MA 887	26.20	MA 2687	26.20	MB 1550	13.60	ME 328	9.40
MA 899	33.55	MA 2699	33.55	MB 1556	FQ*	ME 331	9.40
MA 8112	43.00	MA 26112	43.00	MB 1562	17.80	ME 337	11.50
MA 8125	59.80			MB 1575	FQ*	ME 343	12.55
				MB 1587	FQ*	ME 350	13.60
				MB 1599	FQ*	ME 356	15.70
						ME 362	17.80
						ME 375	23.05
						ME 387	26.20
						ME 399	33.55

**MB 700 PLUG**



MB 709	4.15
MB 712	5.20
MB 715	6.25
MB 718	7.30
MB 721	7.30
MB 725	8.35
MB 728	9.40
MB 731	9.40
MB 737	11.50
MB 743	12.55
MB 750	13.60

**MB 1600 PLUG**



MB 1609	5.20
MB 1612	5.20
MB 1615	6.25

**MZ 500 PLUG**



MZ 537	11.50
MZ 543	12.55
MZ 550	13.60
MZ 556	19.90
MZ 562	26.20
MZ 575	36.70
MZ 587	46.15
MZ 599	46.15
MZ 5112	FQ*

**MZ 1400 PLUG**



MZ 1437	23.05
MZ 1443	23.05
MZ 1450	23.05
MZ 1462	23.05

**MZ 1700 PLUG**



MZ 1756	12.55
MZ 1762	15.70
MZ 1775	20.95
MZ 1787	31.45
MZ 1799	28.30
MZ 17112	30.40
MZ 17125	FQ*
MZ 17137	FQ*
MZ 17150	FQ*

**MZ 1800 PLUG**



MZ 1843	FQ*
MZ 1850	9.40
MZ 1856	FQ*
MZ 1862	16.75
MZ 1875	26.20
MZ 1887	26.20
MZ 1899	36.70
MZ 18112	FQ*
MZ 18125	FQ*

**MZ 1900 PLUG**



MZ 1956	17.80
MZ 1962	17.80
MZ 1975	18.85
MZ 1987	29.35
MZ 1999	34.60
MZ 19112	59.80
MZ 19125	104.95
MZ 19137	FQ*
MZ 19150	FQ*



**CLEVIS: Kevlar, Extruded Jacket**

**ALUMINUM**

KA-112	60.85
KA-118	73.45
KA-125	77.40
KA-131	86.33
KA-137	92.28
KA-143	128.05
KA-150	129.10
KA-156	184.56
KA-162	300.25
KA-175	FQ*



**CARABINER EYE SOCKET: Kernmantle Rope** LBS.

**ALUMINUM**


YAR-243	38.80	0.5
YAR-250	44.05	0.7
YAR-262	52.45	0.9



**EYE: Kevlar, Extruded Jacket**

**ALUMINUM**

KA-218	68.47
KA-225	71.44
KA-231	80.38
KA-237	83.88
KA-243	122.80
KA-250	125.02
KA-256	222.55
KA-262	279.25
KA-275	FQ*



**CLEVIS: Kernmantle Rope (Machined)** LBS.

**ALUMINUM**


YAR-143	40.94	0.6
YAR-150	53.50	0.8
YAR-162	59.80	1.0



**STUD: Kevlar, Extruded Jacket**

**ALUMINUM**

KA-318	108.10
KA-325	108.10
KA-331	108.10
KA-337	108.10
KA-343	116.10
KA-350	125.02
KA-356	123.85
KA-362	199.42
KA-375	312.56



**OPTICAL "OK" FITTING: Kevlar**

OKS-148-4	37.75
OKS-150-4	37.75



**CLEVIS: Kevlar, Braided Jacket**

**ALUMINUM**

IKA-118	44.05
IKA-125	62.95
IKA-131	75.55
IKA-137	76.60
IKA-150	123.85
IKA-162	172.15
IKA-175	FQ*



**ELECTRO-MECHANICAL: Cable**


FQ\*



**EYE: Kevlar, Braided Jacket**

**ALUMINUM**

IKA-218	43.00
IKA-225	61.90
IKA-231	71.35
IKA-237	101.80
IKA-250	117.55
IKA-262	151.15
IKA-275	194.20




**STUD: Kevlar, Braided Jacket**

**ALUMINUM**

IKA-318	53.50
IKA-325	55.60
IKA-331	98.65
IKA-337	108.10
IKA-350	183.70
IKA-362	192.10
IKA-375	FQ*

\*Factory Quote

**MODELS**




**30 33 34**

**3000 SERIES: Socket**

P/N	SOCKET HOOK	P/N	SOCKET EYE	P/N	SOCKET CLEVIS
3031	175.30	3312	62.43	3412	71.74
3037	178.45	3318	71.74	3418	82.36
3043	302.82	3325	81.04	3425	94.31
3050	302.85	3331	134.46	3431	161.83
3056	513.95	3337	134.46	3437	167.95
3062	524.95	3343	192.75	3443	217.08
3075	761.27	3350	192.91	3450	217.11
3087	956.95	3356	311.38	3456	342.36
3099	1,700.03	3362	313.90	3462	346.45
		3375	447.11	3475	470.31
		3387	498.18	3487	533.98
		3399	918.93	3499	1,110.99

**MODELS**




**31 35 36**

**3000 SERIES: Eye**

P/N	EYE HOOK	P/N	EYE CLEVIS	P/N	EYE EYE
3131	177.89	3512	72.23	3612	65.77
3137	177.89	3518	82.53	3618	74.80
3143	252.19	3525	94.15	3625	86.40
3150	266.93	3531	164.64	3631	136.73
3156	573.75	3537	164.64	3637	136.73
3162	573.75	3543	215.20	3643	195.28
3175	756.00	3550	218.46	3650	199.07
3187	986.44	3556	426.56	3656	371.19
3199	1,607.67	3562	426.56	3662	371.02
		3575	432.24	3675	441.97
		3587	544.23	3687	479.38
		3599	1,049.19	3699	826.58

**MODELS**




**32 37 38**

**3000 SERIES: Clevis**

P/N	CLEVIS HOOK	P/N	CLEVIS CLEVIS	P/N	CLEVIS EYE
3231	202.57	3712	82.53	3812	72.23
3237	202.57	3718	94.15	3818	82.53
3243	290.87	3725	108.32	3825	94.15
3250	305.76	3731	189.23	3831	164.64
3256	526.42	3737	189.23	3837	164.64
3262	526.42	3743	244.41	3843	215.20
3275	768.83	3750	286.84	3850	218.46
3287	1,136.23	3756	386.21	3856	426.56
3299	1,671.18	3762	389.53	3862	426.56
		3775	480.23	3875	432.24
		3787	693.45	3887	544.23
		3799	1,112.31	3899	1,049.19




**MODELS**



**6000 SERIES GOLD BAND SWIVELS: Socket**

P/N	SOCKET HOOK	P/N	SOCKET EYE	P/N	SOCKET CLEVIS
6012	219.23	6312	190.87	6412	217.95
6025	242.47	6325	297.91	6425	256.64
6037	335.95	6337	350.79	6437	354.65
6050	393.34	6350	389.47	6450	380.44
6062	543.85	6362	305.50	6462	528.76
6075	868.30	6375	631.92	6475	660.30
6081	868.30	6381	650.88	6481	660.30
6087	1,858.45	6387	1,171.59	6487	1,191.63
6099	1,861.60	6399	1,239.36	6499	1,275.47
60125	FQ*	63125	FQ*	64125	FQ*
60150	FQ*	63150	FQ*	64150	FQ*


**MODELS**



**6000 SERIES GOLD BAND SWIVELS: Eye**

P/N	EYE HOOK	P/N	EYE CLEVIS	P/N	EYE EYE
6112	193.44	6512	141.87	6612	174.11
6125	255.36	6525	207.65	6625	210.21
6137	290.18	6537	309.52	6637	306.94
6150	359.82	6550	366.05	6650	371.42
6162	549.10	6562	509.41	6662	515.87
6175	907.15	6575	589.37	6675	615.02
6181	907.15	6581	607.05	6681	626.96
6187	1,918.30	6587	1,114.26	6687	1,162.30
6199	1,918.30	6599	1,248.40	6699	1,251.30
61125	FQ*	65125	FQ*	66125	FQ*
61150	FQ*	65150	FQ*	66150	FQ*


**MODELS**



**6000 SERIES GOLD BAND SWIVELS: Clevis**

P/N	CLEVIS HOOK	P/N	CLEVIS CLEVIS	P/N	CLEVIS EYE
6212	205.05	6712	156.04	6812	141.87
6225	219.23	6725	259.22	6825	207.65
6237	303.08	6737	353.38	6837	309.52
6250	408.82	6750	393.34	6850	366.05
6262	635.20	6762	557.13	6862	509.41
6275	904.52	6775	722.21	6875	589.37
6281	905.05	6781	743.88	6881	607.05
6287	2,047.45	6787	1,223.87	6887	1,114.26
6299	2,351.95	6799	1,705.15	6899	1,248.40
62125	FQ*	67125	FQ*	68125	FQ*
62150	FQ*	67150	FQ*	68150	FQ*


**MODELS**



**STAINLESS STEEL SWIVEL: Sealed**

P/N	EYE CLEVIS	P/N	EYE EYE
SS-6525	228.41	SS-6625	231.24
SS-6537	340.46	SS-6637	337.63
SS-6550	402.89	SS-6650	408.57
SS-6562	FQ*	SS-6662	567.44


**MODELS**



**STAINLESS STEEL SWIVEL: Sealed**

P/N	CLEVIS CLEVIS	P/N	CLEVIS EYE
SS-6725	285.14	SS-6825	228.41
SS-6737	388.08	SS-6837	340.46
SS-6750	432.67	SS-6850	402.89
SS-6762	612.83	SS-6862	560.35


**MODELS**



**STAINLESS STEEL SWIVEL: Sealed Pressure Compensated**

P/N	EYE CLEVIS	P/N	EYE EYE
SSP-6525	249.17	SSP-6625	252.25
SSP-6537	390.51	SSP-6637	388.45
SSP-6550	594.25	SSP-6650	570.48
SSP-6562	662.16	SSP-6662	681.40
SSP-6575	882.88	SSP-6675	845.53
SSP-6587	FQ*	SSP-6687	FQ*
SSP-6599	FQ*	SSP-6699	FQ*


**MODELS**



**STAINLESS STEEL SWIVEL: Sealed Pressure Compensated**


P/N	CLEVIS CLEVIS	P/N	CLEVIS EYE
SSP-6725	311.06	SSP-6825	249.17
SSP-6737	424.04	SSP-6837	390.51
SSP-6750	621.41	SSP-6850	593.92
SSP-6762	696.12	SSP-6862	662.16
SSP-6775	1,000.60	SSP-6875	882.16
SSP-6787	FQ*	SSP-6887	FQ*
SSP-6799	FQ*	SSP-6899	FQ*

\*Factory Quote




**7200 SERIES 90-DEGREE CONNECTOR: Clevis/Clevis**

P/N	SWL Tons	
7212	.9	25.08
7225	2	30.48
7237	4	55.18
7250	5	61.35
7262	8	78.91
7275	15	156.40



**ROPE THIMBLE: For Clevis Swivel**

Rope Size	P/N	
1/2	L-713-4	9.40
3/4	L-713-9	29.14
7/8	L-713-8	43.81
1	L-713-8	43.81



**3000 SERIES CLEVIS PIN: Slot**


SWIVEL SIZE	P/N	
-12	LS-410K	8.15
-18	LS-410L	11.51
-25	LS-410M	11.51



**SAFE-LINE CLAMP**


		LBS.
AC-1012Y	31.13	0.1
AC-1018Y	33.63	0.3
AC-1025Y	37.93	0.3
AC-1031Y	52.53	0.6
AC-1037Y	60.09	0.8
AC-1050Y	97.84	2.0
AC-1062Y	FQ*	3.0
AC-1075Y	123.29	5.3

\*Factory Quote



**3000 SERIES CLEVIS PIN: Hex Head**

SWIVEL SIZE	P/N	
-31	L-640A	15.31
-37	L-640A	15.31
-43	L-640B	17.45
-50	L-640B	17.45
-56	L-640C	18.51
-62	L-640C	18.51
-75	L-640D	22.31
-87	L-640E	27.92
-99	L-640F	39.73



**6000 SERIES CLEVIS PIN: Broached Hex**

SWIVEL SIZE	P/N	
-12	LD-733A	8.15
-25	LD-733B	8.15
-37	LD-733C	8.15
-50	LD-733D	8.15
-62	LD-733E	12.55
-75	LD-733G	17.80
-81	LD-733H	26.20
-87	LD-733F	27.25
-99	LD-733F	27.25
-125	LD-733K	30.43
-150	LD-733J	62.95



1406 Fifth Street, SW ▪ Canton, Ohio 44702 ▪ [info@esmet.com](mailto:info@esmet.com)  
1-800-321-0870 ▪ 330-452-9132 ▪ Fax 330-452-2557  
[www.ElectrolineUSA.com](http://www.ElectrolineUSA.com)

