

End Fittings & Swivels

For Wire & Synthetic Rope

2021 Retail Price List

Retail Price List

All Prices Stated In U.S. Dollars

TERMS AND CONDITIONS OF SALE:

FREIGHT CHARGES

All products are shipped F.O.B. shipping point. Unless otherwise specified, products will normally be shipped over land or water, best way.

GENERAL

Prices, terms & conditions, and warranty are subject to change without notice. Orders will be shipped using the prices, warranty, and terms & conditions in effect at the time the order was placed.

SPECIFICATIONS

All specifications shown are subject to normal manufacturing tolerances and acceptable handling and inspection procedures prior to and during installation and subsequent use of the product. Designs and dimensions are subject to change without notice.

CANCELLATION

An order once placed and accepted by Esmet can be cancelled only with Esmet's consent and under terms which indemnify Esmet against loss. Orders for specials or standard goods in quantities larger than normal inventory may not be cancelled.

CREDIT AND PAYMENT TERMS

Normal terms are net 30 days. Open accounts will be extended to qualified customers with an initial order of \$500.00 or more. MasterCard, Visa, C.O.D., and C.I.A. terms are available for customers not on open account and ordering less than \$500.00.

CLAIMS

Damage or loss during shipment must be reported to the freight carrier and Esmet within 15 days of receipt. Esmet will assist in replacing products and filing claims. All other discrepancies must be reported to Esmet within 15 days.

RETURNS


Returned products must have a returned material authorization (RMA) number issued by Esmet within 90 days of delivery. A 25% re-stocking charge will be made on stock items. Goods must be received in the same condition as when shipped from Esmet. Special products may not be returnable. All returns must be prepaid.

MINIMUM ORDERS

Orders less than \$100.00 will be assessed a \$25.00 processing and handling fee.

CLEVIS: Forged Series

LBS.



SELF-COLORED		ZINC-PLATED		GALVANIZED	
IGD-125-N	33.94	IGD-125-V	42.43		0.5
IGD-131-N	40.48	IGD-131-V	50.60		1.1
IGD-137-N	42.90	IGD-137-V	52.06		1.1
GD-143-N	57.95			GD-143-X	69.50
GD-150-N	59.40			GD-150-X	72.84
GD-156-N	79.95			GD-156-X	88.18
GD-162-N	79.95			GD-162-X	93.94
GD-175-N	133.95			GD-175-X	140.95
GD-187-N	151.95			GD-187-X	170.36
GD-199-N	214.35			GD-199-X	267.97
GD-1112-N	440.95			GD-1112-X	491.95
GD-1125-N	442.95			GD-1125-X	491.95

CLEVIS: Machined Series


LBS.



SELF-COLORED		ZINC-PLATED		STAINLESS	
ID-106-N	22.95	ID-106-V	27.72	IS-106	53.22
ID-109-N	23.47	ID-109-V	29.35	IS-109	56.34
ID-112-N	24.47	ID-112-V	29.68	IS-112	56.99
ID-115-N	26.89	ID-115-V	32.63	IS-115	62.64
ID-118-N	27.63	ID-118-V	33.53	IS-118	64.38
ID-121-N	28.56	ID-121-V	34.67	IS-121	66.56
ID-125-N	28.86	ID-125-V	35.03	IS-125	67.26
ID-128-N	34.95	ID-128-V	45.14	IS-128	86.67
ID-131-N	39.95	ID-131-V	45.78	IS-131	87.97
ID-137-N	46.70	ID-137-V	56.68	IS-137	108.82
ID-143-N	57.21	ID-143-V	71.52	IS-143	137.30
ID-150-N	64.98	ID-150-V	81.23	IS-150	151.41
ID-156-N	86.74	ID-156-V	108.41	IS-156	208.14
ID-162-N	89.26	ID-162-V	111.56	IS-162	214.20
ID-175-N	113.65	ID-175-V	142.07	IS-175	272.78
ID-187-N	152.74	ID-187-V	194.63	IS-187	366.58
ID-199-N	250.28	ID-199-V	393.95	IS-199	563.95
ID-1112-N	FQ*	ID-1112-V	FQ*	IS-1112	FQ*
ID-1125-N	FQ*	ID-1125-V	FQ*	IS-1125	FQ*
ID-1137-N	FQ*	ID-1137-V	FQ*	IS-1137	FQ*
ID-1150-N	FQ*	ID-1150-V	FQ*	IS-1150	FQ*

CLEVIS with Pin and Cotter Pin: Industrial Series

LBS.



SELF-COLORED		GALVANIZED	
PD-143-N	67.14	PD-143-X	77.24
PD-150-N	67.43	PD-150-X	80.97
PD-156-N	74.90	PD-156-X	97.61
PD-162-N	75.64	PD-162-X	102.46
PD-175-N	133.27	PD-175-X	145.93
PD-187-N	206.43	PD-187-X	289.14
PD-199-N	409.20	PD-199-X	527.51

EYE: Forged Series

LBS.



SELF-COLORED		ZINC-PLATED		GALVANIZED	
IGD-225-N	29.95			IGD-225-X	26.07
IGD-231-N	41.95			IGD-231-X	44.95
IGD-237-N	41.95			IGD-237-X	44.95
GD-243-N	54.95			GD-243-X	57.95
GD-250-N	54.95			GD-250-X	57.95
GD-256-N	91.95			GD-256-X	98.95
GD-262-N	77.95			GD-262-X	97.94
GD-275-N	85.95			GD-275-X	98.30
IGD-287-N	175.95	IGD-287-V	211.95	IGD-287-X	195.95
IGD-299-N	335.95	IGD-299-V	397.95	IGD-299-X	379.95

EYE: Machined Series

LBS.



SELF-COLORED		ZINC-PLATED		STAINLESS	
ID-206-N	15.95	ID-206-V	18.85	IS-206	35.12
ID-209-N	16.28	ID-209-V	19.94	IS-209	37.19
ID-212-N	16.47	ID-212-V	20.18	IS-212	37.63
ID-215-N	17.75	ID-215-V	22.20	IS-215	41.33
ID-218-N	17.75	ID-218-V	22.79	IS-218	42.49
ID-221-N	22.95	ID-221-V	23.95	IS-221	46.13
ID-225-N	22.95	ID-225-V	23.95	IS-225	46.59
ID-228-N	34.95	ID-228-V	32.95	IS-228	60.60
ID-231-N	39.95	ID-231-V	41.95	IS-231	60.60
ID-237-N	39.95	ID-237-V	37.56	IS-237	76.95
ID-243-N	47.95	ID-243-V	53.95	IS-243	90.25
ID-250-N	55.06	ID-250-V	67.53	IS-250	125.84
ID-256-N	80.95	ID-256-V	89.95	IS-256	143.94
ID-262-N	67.95	ID-262-V	78.09	IS-262	149.94
ID-275-N	94.95	ID-275-V	113.13	IS-275	217.17
ID-287-N	137.95	ID-287-V	173.95	IS-287	277.07
ID-299-N	206.95	ID-299-V	243.95	IS-299	407.68
ID-2112-N	FQ*	ID-2112-V	FQ*	IS-2112	FQ*
ID-2125-N	FQ*	ID-2125-V	FQ*	IS-2125	FQ*
ID-2137-N	FQ*	ID-2137-V	FQ*	IS-2137	FQ*
ID-2150-N	FQ*	ID-2150-V	FQ*	IS-2150	FQ*

TOWING EYE: Forged Series

LBS.



SELF-COLORED		GALVANIZED	
Y-2762-N	130.74	Y-2762-X	163.41
Y-2775-N	130.74	Y-2775-X	163.41
Y-27112-N	373.95	Y-27112-X	406.95

OVAL EYE: Forged Series

LBS.



SELF-COLORED		GALVANIZED	
X-3325-N	32.45	X-3325-X	39.39
X-3331-N	32.95	X-3331-X	40.29
X-3337-N	34.45	X-3337-X	41.01
X-3343-N	39.75	X-3343-X	49.71
X-3350-N	41.43	X-3350-X	51.79
X-3356-N	132.95	X-3356-X	144.95
X-3362-N	118.95	X-3362-X	129.95
X-3375-N	129.95	X-3375-X	138.95
X-3387-N	161.95	X-3387-X	176.94
X-3399-N	FQ*	X-3399-X	FQ*
X-33112-N	FQ*	X-33112-X	FQ*
X-33125-N	FQ*	X-33125-X	FQ*

DRUM

LBS.



SELF-COLORED		ZINC-PLATED	
Y-2206-N	11.67	Y-2206-V	14.18
Y-2209-N	11.80	Y-2209-V	14.34
Y-2212-N	11.84	Y-2212-V	14.81
Y-2215-N	13.78	Y-2215-V	17.22
Y-2218-N	13.78	Y-2218-V	17.22
Y-2225-N	15.90	Y-2225-V	20.42
Y-2231-N	23.95	Y-2231-V	25.95
Y-2237-N	19.62	Y-2237-V	25.95
Y-2243-N	23.95	Y-2243-V	28.98
Y-2250-N	26.26	Y-2250-V	32.8
Y-2256-N	45.95	Y-2256-V	49.95
Y-2262-N	45.95	Y-2262-V	49.95
Y-2275-N	66.95	Y-2275-V	71.37
Y-2287-N	108.95	Y-2287-V	132.95
Y-2299-N	145.95	Y-2299-V	175.95
Y-22112-N	FQ*	Y-22112-V	FQ*
Y-22125-N	FQ*	Y-22125-V	FQ*
Y-22137-N	FQ*	Y-22137-V	FQ*
Y-22150-N	FQ*	Y-22150-V	FQ*

COUPLING

LBS.



SELF-COLORED		ZINC-PLATED	
GD-506-N	19.23	GD-506-V	26.22
GD-509-N	19.56	GD-509-V	26.67
GD-512-N	20.08	GD-512-V	27.37
GD-515-N	23.36	GD-515-V	31.84
GD-518-N	23.36	GD-518-V	31.84
GD-521-N	23.53	GD-521-V	32.08
GD-525-N	24.08	GD-525-V	32.80
GD-528-N	37.95	GD-528-V	43.65
GD-531-N	37.95	GD-531-V	59.95
GD-537-N	35.32	GD-537-V	48.15
GD-543-N	47.99	GD-543-V	65.39
GD-550-N	54.79	GD-550-V	74.68
GD-556-N	84.95	GD-556-V	96.95
GD-562-N	80.66	GD-562-V	95.66
GD-575-N	144.95	GD-575-V	148.95
GD-587-N	173.95	GD-587-V	191.95
GD-599-N	256.95	GD-599-V	282.95
GD-5112-N	FQ*	GD-5112-V	FQ*
GD-5125-N	FQ*	GD-5125-V	FQ*
GD-5137-N	FQ*	GD-5137-V	FQ*
GD-5150-N	FQ*	GD-5150-V	FQ*

*Factory Quote

**STUD: Coarse Thread**

LBS.

SELF-COLORED		ZINC-PLATED		GALVANIZED	
IGD-312-N	20.06	IGD-312-V	22.06		0.5
IGD-318-N	28.55	IGD-318-V	31.95		0.7
GD-325-N	41.05	GD-325-V	45.16	GD-325-X	45.16 1.0
GD-331-N	45.68	GD-331-V	50.14	GD-331-X	50.14 1.8
GD-337-N	48.36	GD-337-V	53.20	GD-337-X	53.20 2.0
GD-343-N	57.58	GD-343-V	63.34	GD-343-X	63.34 3.6
GD-350-N	65.02	GD-350-V	71.52	GD-350-X	71.52 3.6
GD-356-N	89.77			GD-356-X	98.75 4.7
GD-362-N	92.88			GD-362-X	102.17 4.7
GD-375-N	105.59			GD-375-X	116.15 7.2
GD-387-N	161.79			GD-387-X	177.95 9.5
GD-399-N	266.44			GD-399-X	293.95 14.0

STUD: Coarse Thread

LBS.



GALVANIZED		STAINLESS	
		IGS-312	43.20 0.5
		IGS-318	61.50 0.7
		IGS-325	64.89 1.0
		IGS-331	68.13 1.8
		IGS-337	92.66 2.0
		IGS-350	136.50 3.6
ID-356-X	112.95	IS-356	209.21 4.7
ID-362-X	115.40	IS-362	215.12 4.7
ID-375-X	155.95	IS-375	249.73 7.2
ID-387-X	274.95	IS-387	323.86 9.5
ID-399-X	FQ*	IS-399	FQ* 14.0
ID-3112-X	FQ*	IS-3112	FQ* 31.0
ID-3125-X	FQ*	IS-3125	FQ* 32.4
ID-3137-X	FQ*	IS-3137	FQ* 55.7
ID-3150-X	FQ*	IS-3150	FQ* 55.7

STUD: Fine Thread

LBS.



SELF-COLORED		ZINC-PLATED		STAINLESS	
ID-306-N	15.04	ID-306-V	18.45	IS-306	34.37 0.1
ID-309-N	17.09	ID-309-V	20.96	IS-309	39.08 0.1
ID-312-N	18.05	ID-312-V	22.06	IS-312	41.14 0.1
ID-315-N	22.59	ID-315-V	28.22	IS-315	52.62 0.2
ID-318-N	25.14	ID-318-V	31.41	IS-318	58.57 0.2
ID-321-N	26.05	ID-321-V	32.51	IS-321	60.59 0.5
ID-325-N	26.89	ID-325-V	33.61	IS-325	62.64 0.5
ID-328-N	33.84	ID-328-V	42.29	IS-328	78.86 0.8
ID-331-N	34.95	ID-331-V	43.53	IS-331	85.92 0.8
ID-337-N	42.48	ID-337-V	53.11	IS-337	99.05 1.1
ID-343-N	53.41	ID-343-V	66.76	IS-343	124.44 1.8
ID-350-N	60.31	ID-350-V	75.39	IS-350	140.55 2.3

OPEN BODY CLEVIS/SOCKET TURNBUCKLE: Forged Series

LBS.



GALVANIZED	
XD-4025-AX	84.95 2.3
XD-4025-BX	89.95 2.6
XD-4025-CX	91.96 3.0
XD-4031-AX	91.95 2.3
XD-4031-BX	98.58 2.6
XD-4031-CX	96.95 3.0
XD-4037-AX	104.95 3.0
XD-4037-BX	116.04 3.6
XD-4037-CX	122.89 4.1
XD-4043-AX	128.95 4.6
XD-4043-BX	150.95 5.4
XD-4043-CX	166.95 6.1
XD-4050-AX	139.95 4.6
XD-4050-BX	150.95 5.4
XD-4050-CX	165.95 6.1
XD-4056-CX	239.95 9.3
XD-4056-DX	316.95 14.0
XD-4062-CX	237.58 9.3
XD-4062-DX	302.95 14.2
XD-4075-CX	756.95 22.9
XD-4075-DX	945.95 28.6
XD-4075-EX	962.95 34.3
XD-4087-CX	779.95 22.9
XD-4087-DX	968.95 28.6
XD-4087-EX	985.95 34.3
XD-4099-CX	FQ* 37.5
XD-4099-DX	FQ* 40.7
XD-4099-EX	FQ* 42.0
XD-40112-DX	FQ* 71.0
XD-40112-EX	FQ* 75.0
XD-40125-DX	FQ* 78.2
XD-40125-EX	FQ* 82.0
XD-40137-EX	FQ* 91.4
XD-40150-EX	FQ* 94.3

*Factory Quote

**OPEN BODY SOCKET/SOCKET TURNBUCKLE: Forged Series**

LBS.

GALVANIZED	
XD-5425-AX	100.68 2.3
XD-5425-BX	101.70 2.6
XD-5425-CX	104.16 3.0
XD-5431-AX	113.95 2.3
XD-5431-BX	111.43 2.6
XD-5431-CX	117.79 3.0
XD-5437-AX	120.52 3.0
XD-5437-BX	134.95 3.6
XD-5437-CX	128.68 4.1
XD-5443-AX	146.04 4.6
XD-5443-BX	149.73 5.4
XD-5443-CX	161.95 6.1
XD-5450-AX	162.36 4.6
XD-5450-BX	163.96 5.4
XD-5450-CX	176.27 6.1
XD-5456-CX	243.95 9.3
XD-5456-DX	361.95 14.0
XD-5462-CX	240.40 9.3
XD-5462-DX	333.95 14.2
XD-5475-CX	605.95 22.9
XD-5475-DX	728.95 28.6
XD-5475-EX	FQ* 34.3
XD-5487-CX	FQ* 22.9
XD-5487-DX	FQ* 28.6
XD-5487-EX	FQ* 34.3
XD-5499-CX	FQ* 37.5
XD-5499-DX	FQ* 40.7
XD-5499-EX	FQ* 42.0
XD-54112-DX	FQ* 71.0
XD-54112-EX	FQ* 75.0
XD-54125-DX	FQ* 78.2
XD-54125-EX	FQ* 82.0
XD-54137-EX	FQ* 94.1
XD-54150-EX	FQ* 94.3

CLOSED BODY CLEVIS/SOCKET TURNBUCKLE: Machined Series

LBS.



SELF-COLORED		ZINC-PLATED		STAINLESS	
ID-406-N	43.22	ID-406-V	52.44	IS-406	103.72 0.2
ID-409-N	56.95	ID-409-V	62.95	IS-409	116.05 0.3
ID-412-N	55.85	ID-412-V	67.78	IS-412	134.05 0.3
ID-415-N	92.95	ID-415-V	97.95	IS-415	153.70 0.6
ID-418-N	92.95	ID-418-V	97.95	IS-418	160.52 0.6
ID-421-N	78.07	ID-421-V	102.95	IS-421	180.39 1.1
ID-425-N	80.91	ID-425-V	104.95	IS-425	186.90 1.1
ID-428-N	100.84	ID-428-V	122.38	IS-428	242.01 1.6
ID-431-N	101.55	ID-431-V	123.25	IS-431	243.74 1.6
ID-437-N	120.80	ID-437-V	146.63	IS-437	289.94 2.4
ID-443-N	182.95	ID-443-V	200.95	IS-443	360.15 4.1
ID-450-N	182.95	ID-450-V	214.10	IS-450	423.15 5.1
				IS-462	437.56
				IS-475	757.08

CLOSED BODY SOCKET/SOCKET TURNBUCKLE: Machined Series

LBS.




SELF-COLORED		ZINC-PLATED		STAINLESS	
ID-5506-N	53.95	ID-5506-V	59.95	IS-5506	91.74 0.1
ID-5509-N	66.95	ID-5509-V	73.95	IS-5509	105.65 0.2
ID-5512-N	55.95	ID-5512-V	61.95	IS-5512	111.96 0.3
ID-5515-N	83.95	ID-5515-V	92.95	IS-5515	135.83 0.5
ID-5518-N	83.95	ID-5518-V	92.95	IS-5518	148.52 0.5
ID-5521-N	83.99	ID-5521-V	99.98	IS-5521	191.98 1.1
ID-5525-N	85.04	ID-5525-V	101.23	IS-5525	194.33 1.1
ID-5528-N	105.37	ID-5528-V	121.49	IS-5528	233.26 1.7
ID-5531-N	101.36	ID-5531-V	123.02	IS-5531	236.18 1.8
ID-5537-N	125.77	ID-5537-V	152.62	IS-5537	293.03 2.6
ID-5543-N	159.57	ID-5543-V	193.66	IS-5543	371.82 4.1
ID-5550-N	187.11	ID-5550-V	227.07	IS-5550	435.98 5.7
ID-5556-N	FQ*	ID-5556-V	FQ*	IS-5556	456.97
ID-5562-N	FQ*	ID-5562-V	FQ*	IS-5562	461.69

CLOSED BODY CLEVIC/CLEVIS TURNBUCKLE: Machined Series


LBS.




SELF-COLORED		ZINC-PLATED		STAINLESS	
IJD-406-N	43.34	IJD-406-V	54.18	IJS-406	104.01 0.2
IJD-409-N	61.95	IJD-409-V	71.83	IJS-409	137.92 0.3
IJD-412-N	61.95	IJD-412-V	71.83	IJS-412	137.92 0.3
IJD-415-N	88.95	IJD-415-V	97.95	IJS-415	157.88 0.6
IJD-418-N	91.95	IJD-418-V	101.95	IJS-418	157.88 0.6
IJD-421-N	85.97	IJD-421-V	100.39	IJS-421	192.76 1.1
IJD-425-N	85.64	IJD-425-V	100.39	IJS-425	192.76 1.1
IJD-428-N	101.99	IJD-428-V	119.18	IJS-428	228.78 1.6
IJD-431-N	102.95	IJD-431-V	119.18	IJS-431	228.78 1.6
IJD-437-N	113.58	IJD-437-V	137.81	IJS-437	264.62 2.4
IJD-443-N	148.18	IJD-443-V	179.84	IJS-443	345.30 4.1
IJD-450-N	209.95	IJD-450-V	230.95	IJS-450	404.27 5.1
IJD-475-N	307.46	IJD-475-V	338.95	IJS-462	FQ*
				IJS-475	FQ*



SWIVEL HOOK		LBS.	
SELF-COLORED	ZINC-PLATED		
Y-2518-N	Y-2518-V	62.95	1.2
Y-2525-N	Y-2525-V	71.95	1.4
Y-2531-N	Y-2531-V	81.95	1.6
Y-2537-N	Y-2537-V	101.95	2.7
Y-2543-N	Y-2543-V	105.95	3.9
Y-2550-N	Y-2550-V	215.95	5.0
Y-2556-N	Y-2556-V	219.95	10.0
Y-2562-N	Y-2562-V	231.95	11.0
Y-2575-N	Y-2575-V	431.95	16.0
Y-2587-N	FQ*	FQ*	21.0
Y-2599-N	FQ*	FQ*	30.3



NON-SWIVEL HOOK		LBS.	
SELF-COLORED	ZINC-PLATED		
Y-2618-N	Y-2618-V	52.95	0.6
Y-2625-N	Y-2625-V	60.95	0.9
Y-2631-N	Y-2631-V	67.18	1.3
Y-2637-N	Y-2637-V	75.75	1.7
Y-2643-N	Y-2643-V	78.31	2.8
Y-2650-N	Y-2650-V	103.95	4.0
Y-2656-N	Y-2656-V	156.83	8.0
Y-2662-N	Y-2662-V	166.81	8.3
Y-2675-N	Y-2675-V	237.49	13.4
Y-2687-N	Y-2687-V	323.95	18.6
Y-2699-N	Y-2699-V	358.72	27.2



SAFETY LATCH KIT			
SINGLE ACTION	DOUBLE ACTION		
L-227	L-490A	10.66	25.95
L-227A	L-490B	10.66	25.95
L-227B	L-490C	10.66	28.95
L-227C	L-490D	22.87	37.95
L-227D	L-490E	27.25	49.15
L-227E	L-490F	36.95	118.95
L-227F		46.95	
L-227G		48.98	
L-227J		103.95	



NON-BEARING OVAL EYE SWIVEL		LBS.	
SELF-COLORED	ZINC-PLATED		
Y-1143-N	Y-1143-V	124.95	2.2
Y-1150-N	Y-1150-V	124.95	2.3
Y-1156-N	Y-1156-V	155.95	10.0
Y-1162-N	Y-1162-V	146.95	10.0
Y-1175-N	Y-1175-V	201.95	10.0
Y-1187-N	Y-1187-V	249.95	12.2
Y-1199-N	FQ*	FQ*	16.8
Y-11112-N	FQ*	FQ*	40.0
Y-11125-N	FQ*	FQ*	41.2
Y-11137-N	FQ*	FQ*	89.1



CLEVIS WITH SISTER HOOK: Life Line		LBS.		
STAINLESS		ALUMINUM		
FOR WIRE ROPE				
NS-4843	159.12	2.1	NAF-4843 95.12 1.3	
NS-4850	175.17	2.6	NAF-4856 107.95 1.3	
NS-4856	189.06	2.8	FOR MYLAR & NYLON ROPE	
NS-4862	207.95	2.1	NAM-4856	171.87 0.7
FOR PULTRUDED ROD				
NSF-4843	230.33	2.6	NAM-4862	172.78 0.8
NSF-4856	253.59	2.1	FOR KEVLAR	
FOR MYLAR & NYLON ROPE				
NSM-4856	FQ*	2.6	NAK-4850	116.50 1.5
NSM-4862	FQ*	2.8		



CLEVIS WITHOUT SISTER HOOK		LBS.	
STAINLESS		ALUMINUM	
NSK-137	205.34	NAK-137B	89.92
NSK-150	205.34	NAK-150B	89.92



CLOSED BODY TURNBUCKLE WITH SISTER HOOK: Life Line		LBS.		
STAINLESS		ALUMINUM		
FOR WIRE ROPE				
NS-4943	289.01	5.0	NAF-4943 172.55 2.1	
NS-4950	299.66	5.5	NAF-4956 188.95 2.1	
NS-4956	303.67	5.8	FOR MYLAR & NYLON ROPE	
NS-4962	311.16	5.0	NAM-4943	172.95 1.7
FOR PULTRUDED ROD				
NSF-4943	366.18	5.5	NAM-4956	172.95 1.9
NSF-4956	396.23	5.0	NAM-4962	172.95 2.0
FOR MYLAR & NYLON ROPE				
NSM-4943	FQ*	5.5	NAK-4950	198.54 2.5
NSM-4956	FQ*	5.8		
NSM-4962	FQ*			

REPLACEMENT SLEEVE

STAINLESS		ALUMINUM	
NS-943	39.77	NA-943	FQ*
NS-950	39.77	NA-956	20.51
NS-956	41.74	NAK-956	FQ*
NS-962	41.74	NAK-962	FQ*
NSK-956	41.74	NAK-937	39.92
NSK-962	FQ*	NAK-950	44.52
NSK-937	51.62		
NSK-950	FQ*		




LIFE LINE INSULATOR		LBS.	
STAINLESS			
SP-558	211.95		1.3




OFFSET EYE		LBS.	
X-3418	37.95		0.2

*Factory Quote

CLOSED BODY DOUBLE CLEVIS TURNBUCKLE: Antenna Fittings




NAVAL BRONZE
YZ-431-R 111.95



SLEEVE SELECTION TABLE

SELF-COLORED		ZINC-PLATED		STAINLESS	
ID-906-N	3.65	ID-906-V	4.50	IS-906	8.12
ID-909-N	4.25	ID-909-V	5.08	IS-909	9.38
ID-912-N	4.25	ID-912-V	5.08	IS-912	9.56
ID-915-N	5.07	ID-915-V	6.32	IS-915	11.78
ID-918-N	5.07	ID-918-V	6.32	IS-918	12.14
ID-921-N	6.95	ID-921-V	6.56	IS-921	12.61
ID-925-N	6.95	ID-925-V	6.73	IS-925	12.92
ID-928-N	6.95	ID-928-V	8.42	IS-928	15.71
ID-931-N	8.95	ID-931-V	10.95	IS-931	16.01
ID-937-N	9.69	ID-937-V	12.13	IS-937	22.59
ID-943-N	11.53	ID-943-V	14.42	IS-943	26.87
ID-950-N	13.02	ID-950-V	15.67	IS-950	30.08
ID-956-N	15.29	ID-956-V	19.14	IS-956	36.73
ID-962-N	15.97	ID-962-V	19.96	IS-962	38.34
ID-975-N	21.58	ID-975-V	26.97	IS-975	51.78
ID-987-N	31.95	ID-987-V	35.95	IS-987	63.05
ID-999-N	FQ*	ID-999-V	60.95	IS-999	104.75
ID-9112-N	FQ*	ID-9112-V	FQ*	IS-9112	196.95
ID-9125-N	FQ*	ID-9125-V	FQ*	IS-9125	283.61
ID-9137-N	FQ*	ID-9137-V	FQ*	IS-9137	FQ*
ID-9150-N	FQ*	ID-9150-V	FQ*	IS-9150	FQ*

RADIO ANTENNA OPEN END FITTING



NAVAL BRONZE
X-31-131-R 95.95


SHACKLE & PIN ASSEMBLY



NAVAL BRONZE
X-2843-R 91.84

ASSEMBLY KITS FOR INDIVIDUAL WIRE ROPE

LBS.



SP-307-D	44.95	0.4
SP-307-E	44.95	0.8
SP-307-F	44.95	0.8
SP-307-G	44.95	0.7
SP-307-H	44.95	1.0
SP-307-J	44.95	1.0
SP-307-K	44.95	1.1
SP-307-L	44.95	1.0
SP-307-M	44.95	1.3
SP-307-N	44.95	1.2
SP-307-P	44.95	2.4
SP-307-Q	44.95	2.3
SP-307-R	44.95	3.3
SP-307-S	44.95	3.1
SP-307-T	44.95	3.5
SP-307-V	44.95	3.3
SP-307-W	44.95	

MA 800, MA 2600, MB 1500, ME 300 PLUG



MA 831	FQ*	MA 2625	7.95	MB 1518	6.95	ME 306	FQ*
MA 837	17.95	MA 2637	10.95	MB 1521	FQ*	ME 309	FQ*
MA 843	FQ*	MA 2643	11.95	MB 1525	7.95	ME 312	4.95
MA 850	12.95	MA 2650	12.95	MB 1528	FQ*	ME 315	5.95
MA 856	14.95	MA 2656	14.95	MB 1531	8.95	ME 318	6.95
MA 862	16.95	MA 2662	16.95	MB 1537	10.95	ME 321	6.95
MA 875	21.95	MA 2675	21.95	MB 1543	FQ*	ME 325	7.95
MA 887	24.95	MA 2687	24.95	MB 1550	12.95	ME 328	8.95
MA 899	31.95	MA 2699	31.95	MB 1556	FQ*	ME 331	8.95
MA 8112	40.95	MA 26112	40.95	MB 1562	16.95	ME 337	10.95
MA 8125	56.95			MB 1575	FQ*	ME 343	11.95
				MB 1587	FQ*	ME 350	12.95
				MB 1599	FQ*	ME 356	14.95
						ME 362	16.95
						ME 375	21.95
						ME 387	24.95
						ME 399	31.95

MB 700 PLUG



MB 709	3.95
MB 712	4.95
MB 715	5.95
MB 718	6.95
MB 721	6.95
MB 725	7.95
MB 728	8.95
MB 731	8.95
MB 737	10.95
MB 743	11.95
MB 750	12.95

MB 1600 PLUG



MB 1609	4.95
MB 1612	4.95
MB 1615	5.95

MZ 500 PLUG



MZ 537	10.95
MZ 543	11.95
MZ 550	12.95
MZ 556	18.95
MZ 562	24.95
MZ 575	34.95
MZ 587	43.95
MZ 599	43.95
MZ 5112	FQ*

MZ 1400 PLUG



MZ 1437	21.95
MZ 1443	21.95
MZ 1450	21.95
MZ 1462	21.95

MZ 1700 PLUG



MZ 1756	11.95
MZ 1762	14.95
MZ 1775	19.95
MZ 1787	29.95
MZ 1799	26.95
MZ 17112	28.95
MZ 17125	FQ*
MZ 17137	FQ*
MZ 17150	FQ*

MZ 1800 PLUG




MZ 1843	FQ*
MZ 1850	8.95
MZ 1856	FQ*
MZ 1862	15.95
MZ 1875	24.95
MZ 1887	24.95
MZ 1899	34.95
MZ 18112	FQ*
MZ 18125	FQ*

MZ 1900 PLUG



MZ 1956	16.95
MZ 1962	16.95
MZ 1975	17.95
MZ 1987	27.95
MZ 1999	32.95
MZ 19112	56.95
MZ 19125	99.95
MZ 19137	FQ*
MZ 19150	FQ*

CLEVIS: Kevlar, Extruded Jacket**ALUMINUM**

KA-112	57.95
KA-118	69.95
KA-125	73.71
KA-131	82.22
KA-137	87.89
KA-143	121.95
KA-150	122.95
KA-156	175.77
KA-162	285.95
KA-175	FQ*

CARABINER EYE SOCKET: Kernmantle Rope LBS.**ALUMINUM**

YAR-243	36.95	0.5
YAR-250	41.95	0.7
YAR-262	49.95	0.9

EYE: Kevlar, Extruded Jacket**ALUMINUM**


KA-218	65.21
KA-225	68.04
KA-231	76.55
KA-237	79.89
KA-243	116.95
KA-250	119.07
KA-256	211.95
KA-262	265.95
KA-275	FQ*

CLEVIS: Kernmantle Rope (Machined) LBS.**ALUMINUM**

YAR-143	38.99	0.6
YAR-150	50.95	0.8
YAR-162	56.95	1.0

STUD: Kevlar, Extruded Jacket**ALUMINUM**

KA-318	102.95
KA-325	102.95
KA-331	102.95
KA-337	102.95
KA-343	110.57
KA-350	119.07
KA-356	117.95
KA-362	189.92
KA-375	297.68

OPTICAL "OK" FITTING: Kevlar

OKS-148-4	35.95
OKS-150-4	35.95

CLEVIS: Kevlar, Braided Jacket**ALUMINUM**

IKA-118	41.95
IKA-125	59.95
IKA-131	71.95
IKA-137	72.95
IKA-150	117.95
IKA-162	163.95
IKA-175	FQ*

ELECTRO-MECHANICAL: Cable

FQ*

EYE: Kevlar, Braided Jacket**ALUMINUM**


IKA-218	40.95
IKA-225	58.95
IKA-231	67.95
IKA-237	96.95
IKA-250	111.95
IKA-262	143.95
IKA-275	184.95

STUD: Kevlar, Braided Jacket**ALUMINUM**

IKA-318	50.95
IKA-325	52.95
IKA-331	93.95
IKA-337	102.95
IKA-350	174.95
IKA-362	182.95
IKA-375	FQ*

*Factory Quote

MODELS




30 33 34

3000 SERIES: Socket

P/N	SOCKET HOOK	P/N	SOCKET EYE	P/N	SOCKET CLEVIS
3031	166.95	3312	59.46	3412	68.32
3037	169.95	3318	68.32	3418	78.44
3043	288.40	3325	77.18	3425	89.82
3050	288.43	3331	128.06	3431	154.12
3056	489.48	3337	128.06	3437	159.95
3062	499.95	3343	183.57	3443	206.74
3075	725.02	3350	183.72	3450	206.77
3087	911.38	3356	296.55	3456	326.06
3099	1,619.08	3362	298.95	3462	329.95
		3375	425.82	3475	447.91
		3387	474.46	3487	508.55
		3399	875.17	3499	1,058.09

MODELS




31 35 36

3000 SERIES: Eye

P/N	EYE HOOK	P/N	EYE CLEVIS	P/N	EYE EYE
3131	169.42	3512	68.79	3612	62.64
3137	169.42	3518	78.60	3618	71.24
3143	240.18	3525	89.67	3625	82.29
3150	254.22	3531	156.80	3631	130.22
3156	546.43	3537	156.80	3637	130.22
3162	546.43	3543	204.95	3643	185.98
3175	720.00	3550	208.06	3650	189.59
3187	939.47	3556	406.25	3656	353.51
3199	1,531.11	3562	406.25	3662	353.35
		3575	411.66	3675	420.92
		3587	518.31	3687	456.55
		3599	999.23	3699	787.22

MODELS




32 37 38

3000 SERIES: Clevis

P/N	CLEVIS HOOK	P/N	CLEVIS CLEVIS	P/N	CLEVIS EYE
3231	192.92	3712	78.60	3812	68.79
3237	192.92	3718	89.67	3818	78.60
3243	277.02	3725	103.16	3825	89.67
3250	291.20	3731	180.22	3831	156.80
3256	501.35	3737	180.22	3837	156.80
3262	501.35	3743	232.77	3843	204.95
3275	732.22	3750	273.18	3850	208.06
3287	1,082.12	3756	367.82	3856	406.25
3299	1,591.60	3762	370.98	3862	406.25
		3775	457.36	3875	411.66
		3787	660.43	3887	518.31
		3799	1,059.34	3899	999.23


MODELS



6000 SERIES GOLD BAND SWIVELS: Socket

P/N	SOCKET HOOK	P/N	SOCKET EYE	P/N	SOCKET CLEVIS
6012	208.79	6312	181.78	6412	207.57
6025	230.92	6325	283.72	6425	244.42
6037	319.95	6337	334.09	6437	337.76
6050	374.61	6350	370.92	6450	362.32
6062	517.95	6362	290.95	6462	503.58
6075	826.95	6375	601.83	6475	628.86
6081	826.95	6381	619.89	6481	628.86
6087	1,769.95	6387	1,115.80	6487	1,134.89
6099	1,772.95	6399	1,180.34	6499	1,214.73
60125	FQ*	63125	FQ*	64125	FQ*
60150	FQ*	63150	FQ*	64150	FQ*


MODELS



6000 SERIES GOLD BAND SWIVELS: Eye

P/N	EYE HOOK	P/N	EYE CLEVIS	P/N	EYE EYE
6112	184.23	6512	135.11	6612	165.82
6125	243.20	6525	197.76	6625	200.20
6137	276.36	6537	294.78	6637	292.32
6150	342.69	6550	348.62	6650	353.73
6162	522.95	6562	485.15	6662	491.30
6175	863.95	6575	561.30	6675	585.73
6181	863.95	6581	578.14	6681	597.10
6187	1,826.95	6587	1,061.20	6687	1,106.95
6199	1,826.95	6599	1,188.95	6699	1,191.71
61125	FQ*	65125	FQ*	66125	FQ*
61150	FQ*	65150	FQ*	66150	FQ*


MODELS



6000 SERIES GOLD BAND SWIVELS: Clevis

P/N	CLEVIS HOOK	P/N	CLEVIS CLEVIS	P/N	CLEVIS EYE
6212	195.29	6712	148.61	6812	135.11
6225	208.79	6725	246.88	6825	197.76
6237	288.65	6737	336.55	6837	294.78
6250	389.35	6750	374.61	6850	348.62
6262	604.95	6762	530.60	6862	485.15
6275	861.45	6775	687.82	6875	561.30
6281	861.95	6781	708.46	6881	578.14
6287	1,949.95	6787	1,165.59	6887	1,061.20
6299	2,239.95	6799	1,623.95	6899	1,188.95
62125	FQ*	67125	2,580.76	68125	FQ*
62150	FQ*	67150	2,756.17	68150	FQ*

MODELS




65

66

STAINLESS STEEL SWIVEL: Sealed

P/N	EYE CLEVIS	P/N	EYE EYE
SS-6525	217.53	SS-6625	220.23
SS-6537	324.25	SS-6637	321.55
SS-6550	383.70	SS-6650	389.11
SS-6562	FQ*	SS-6662	540.42

MODELS




67

68

STAINLESS STEEL SWIVEL: Sealed

P/N	CLEVIS CLEVIS	P/N	CLEVIS EYE
SS-6725	271.56	SS-6825	217.53
SS-6737	369.60	SS-6837	324.25
SS-6750	412.07	SS-6850	383.70
SS-6762	583.65	SS-6862	533.67

MODELS




65

66

STAINLESS STEEL SWIVEL: Sealed Pressure Compensated

P/N	EYE CLEVIS	P/N	EYE EYE
SSP-6525	237.30	SSP-6625	240.24
SSP-6537	371.91	SSP-6637	369.95
SSP-6550	565.95	SSP-6650	543.31
SSP-6562	630.63	SSP-6662	648.95
SSP-6575	840.84	SSP-6675	805.27
SSP-6587	FQ*	SSP-6687	FQ*
SSP-6599	FQ*	SSP-6699	FQ*

MODELS




67

68

STAINLESS STEEL SWIVEL: Sealed Pressure Compensated


P/N	CLEVIS CLEVIS	P/N	CLEVIS EYE
SSP-6725	296.25	SSP-6825	237.30
SSP-6737	403.85	SSP-6837	371.91
SSP-6750	591.82	SSP-6850	565.64
SSP-6762	662.97	SSP-6862	630.63
SSP-6775	952.95	SSP-6875	840.84
SSP-6787	FQ*	SSP-6887	FQ*
SSP-6799	FQ*	SSP-6899	FQ*

*Factory Quote




7200 SERIES 90-DEGREE CONNECTOR: Clevis/Clevis

P/N	SWL Tons	
7212	.9	23.89
7225	2	29.03
7237	4	52.55
7250	5	58.43
7262	8	75.15
7275	15	148.95



ROPE THIMBLE: For Clevis Swivel

Rope Size	P/N	
1/2	L-713-4	8.95
3/4	L-713-9	27.75
7/8	L-713-8	41.72
1	L-713-8	41.72



3000 SERIES CLEVIS PIN: Slot


SWIVEL SIZE	P/N	
-12	LS-410K	7.76
-18	LS-410L	10.96
-25	LS-410M	10.96



SAFE-LINE CLAMP


		LBS.
AC-1012Y	29.65	0.1
AC-1018Y	32.03	0.3
AC-1025Y	36.12	0.3
AC-1031Y	50.03	0.6
AC-1037Y	57.23	0.8
AC-1050Y	93.18	2.0
AC-1062Y	FQ*	3.0
AC-1075Y	117.42	5.3

*Factory Quote



3000 SERIES CLEVIS PIN: Hex Head

SWIVEL SIZE	P/N	
-31	L-640A	14.58
-37	L-640A	14.58
-43	L-640B	16.62
-50	L-640B	16.62
-56	L-640C	17.63
-62	L-640C	17.63
-75	L-640D	21.25
-87	L-640E	26.59
-99	L-640F	37.84



6000 SERIES CLEVIS PIN: Broached Hex

SWIVEL SIZE	P/N	
-12	LD-733A	7.76
-25	LD-733B	7.76
-37	LD-733C	7.76
-50	LD-733D	7.76
-62	LD-733E	11.95
-75	LD-733G	16.95
-81	LD-733H	24.95
-87	LD-733F	25.95
-99	LD-733F	25.95
-125	LD-733K	28.98
-150	LD-733J	59.95



1406 Fifth Street, SW ▪ Canton, Ohio 44702 ▪ info@esmet.com
1-800-321-0870 ▪ 330-452-9132 ▪ Fax 330-452-2557
www.ElectrolineUSA.com

